

EVERGREEN METROPOLITAN DISTRICT

NOTICE OF PUBLIC HEARING TO CONSIDER AN INCREASE IN WATER SERVICE DROUGHT PENALTY RATES

NOTICE IS HEREBY GIVEN, in accordance with Section 32-1-1001(2)(a), C.R.S., to the customers of the Evergreen Metropolitan District (“District”) and all other interested persons that the Board of Directors of the District will consider an increase in the water service drought penalty rates for the year 2021. The following proposed drought penalty rates will be considered for action at the regular meeting of the District commencing at the hour of 8:30 a.m. on April 28, 2021 at 30920 Stagecoach Boulevard, Evergreen, Colorado.

Proposed Changes:

- **Creation of the following tiers for Drought Level 2**
 - 0 – 5,000 gallons no penalty rate
 - 5,000 – 12,000 gallons \$6.00 per 1000 gallons
 - Over 12,000 gallons \$15.00 per 1000 gallons

- **Creation of the following tiers for Drought Level 3**
 - 0 – 5,000 gallons no penalty rate
 - 5,000 – 7,500 gallons \$12.00 per 1000 gallons
 - Over 7,500 gallons \$30.00 per 1000 gallons

NOTICE IS FURTHER GIVEN that any customer or other interested person may appear at this time and place for the purpose of providing input, comments or objections regarding such proposed drought penalty rates. Information regarding such proposed drought penalty rates may be obtained from David Lighthart, General Manager at the District office located at 30920 Stagecoach Boulevard, Evergreen, CO 80439, telephone number 303-674-4112, Monday through Friday during normal business hours.

In light of the current COVID Pandemic, the public hearing to be held at the Evergreen Metropolitan District Board of Directors Meeting scheduled for April 28th will be held via a Zoom meeting. If you would like to attend the virtual meeting, please contact Dominique Devaney at 303-674-4112 or email: ddevaney@evergreenmetro.org to be added to the list of attendees.

Dated this 11th day of March, 2021.

EVERGREEN METROPOLITAN DISTRICT

By: /s/ David Lighthart
David Lighthart, General Manager